SAFETY DATA SHEET Barclay Holster XL

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name

Barclay Holster XL

REACH Registration Notes IN CONFORMITY WITH (REACH) Annex II of EC Regulation no.1907/2006.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Agricultural/Horticultural Herbicide

1.3. Details of the supplier of the safety data sheet

Manufacturer	Barclay Chemicals Manufacturing Ltd,
	Damastown Way
	Damastown Industrial Estate
	Mulhuddart
	Dublin 15
	Ireland
	Tel: + 353 1 811 29 00
	Fax: + 353 1 822 46 78
	email: info@barclay.ie

1.4. Emergency telephone number

+353 86 385 77 69

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (1999/45/EEC) Xr

Human Health

Xn;R22, R65. Xi;R36/38.

Harmful if swallowed. Irritating to eyes and skin. Harmful: may cause lung damage if swallowed.

2.2. Label elements

Contains:

2, 4 D ethyl hexyl ester Solvent naptha (petroleum), heavy aromatic

Labelling



Risk Phrases

R22 Harmful if swallowed. R36/38 Irritating to eyes and skin. R65 Harmful: may cause lung damage if swallowed. Safety Phrases S2 Keep out of the reach of children. \$23 Do not breathe vapour/spray. S24/25 Avoid contact with skin and eyes. S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S36/37/39 Wear suitable protective clothing, gloves and eye/face protection. S49 Keep only in the original container. S60 This material and its container must be disposed of as hazardous waste. S62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. S61 Avoid release to the environment. Refer to special instructions/safety data sheets.

2.3. Other hazards

Not applicable.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

<u>5.2. Wixtures</u>			
2, 4 D ethyl hexyl ester			30-60%
CAS-No.: 1928-43-4	EC No.: 217-673-3		
Classification (EC 1272/2008) Acute Tox. 4 - H302 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		Classification (67/548/EEC) Xn;R22. N;R50/53. R43.	
Branched calcium dodecyl benzene s	sulphonate		1-5%
CAS-No.: 68953-96-8	EC No.: 273-234-6		
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Dam. 1 - H318		Classification (67/548/EEC) Xi;R38,R41.	
DICAMBA (ISO)			5-10%
CAS-No.: 1918-00-9	EC No.: 217-635-6		
Classification (EC 1272/2008) Acute Tox. 4 - H302 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412		Classification (67/548/EEC) Xn;R22 Xi;R41 R52/53	
Fluroxypyr meptyl			10-30%
CAS-No.: 81406-37-3	EC No.: 279-752-9		
Classification (EC 1272/2008) Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		Classification (67/548/EEC) N;R50/53	
ISO-BUTANOL			1-5%
CAS-No.: 78-83-1	EC No.: 201-148-0		
Classification (EC 1272/2008) Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT Single 3 - H335 STOT Single 3 - H336		Classification (67/548/EEC) R10 Xi;R37/38,R41 R67	
Solvent naptha (petroleum), heavy ar	omatic		10-30%
CAS-No.: 64742-94-5	EC No.: 265-198-5		
Classification (EC 1272/2008) Not classified.		Classification (67/548/EEC) Xn;R65. N;R51/53. R66,R67.	

Tallow alkylamine ethoxylate			1-5%
CAS-No.: 61791-26-2	EC No.: 500-153-8		
Classification (EC 1272/2008)		Classification (67/548/EEC)	
Acute Tox. 4 - H302		Xn;R22.	
Eye Irrit. 2 - H319		Xi;R36.	
Aquatic Chronic 2 - H411		N;R51/53.	

The Full Text for all R-Phrases and Hazard Statements is Displayed in Section 16

REACH Registration Notes

IN CONFORMITY WITH (REACH) Annex II of EC Regulation no.1907/2006.

Composition Comments

The data shown are in accordance with the latest EC Directives.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Information

Remove affected person from source of contamination. Provide rest, warmth and fresh air. Do not give victim anything to drink if they are unconscious.

Inhalation.

Move the exposed person to fresh air at once. Provide fresh air, warmth and rest, preferably in a comfortable upright sitting position. Get medical attention.

Ingestion

Harmful if swallowed. Harmful: may cause lung damage if swallowed. Get medical attention immediately! Remove victim immediately from source of exposure. Provide fresh air, warmth and rest, preferably in comfortable upright sitting position. Immediately rinse mouth and drink plenty of water or milk. Keep person under observation. Do not induce vomiting. If vomiting occurs, keep head low. Transport immediately to hospital and bring along these instructions. NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Skin Contact

Remove victim immediately from source of exposure. Remove contaminated clothing immediately and wash skin with soap and water. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Eye Contact

Remove victim immediately from source of exposure. Immediately flush with plenty of water. Remove any contact lenses and open eyes wide apart. Call an ambulance and continue flushing during transportation to hospital. Bring these instructions.

4.2. Most important symptoms and effects, both acute and delayed

General Information

NOTE! Effects may be delayed. Keep affected person under observation. Seek medical attention for all burns, regardless how minor they may seem.

Inhalation. No specific symptoms noted. Ingestion No specific symptoms noted. Skin Contact No specific symptoms noted. Eye Contact No specific symptoms noted.

4.3. Indication of any immediate medical attention and special treatment needed

No recommendation given, but first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROMPTLY!

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing Media

Extinguish with foam, carbon dioxide, dry powder or water fog.

Unsuitable Extinguishing Media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Hazardous Combustion Products In case of fire, toxic gases (CO, CO2, NOx) may be formed. Unusual Fire & Explosion Hazards Not known.

5.3. Advice for firefighters

Special Fire Fighting Procedures

Avoid breathing fire vapours. Keep up-wind to avoid fumes. Move container from fire area if it can be done without risk. Keep run-off water out of sewers and water sources. Dike for water control. If risk of water pollution occurs, notify appropriate authorities. Protective Measures In Fire

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Do not smoke, use open fire or other sources of ignition. Avoid inhalation of dust and vapours.

6.2. Environmental precautions

Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body. Do not discharge into drains, water courses or onto the ground. Do not allow to enter drains, sewers or watercourses.

6.3. Methods and material for containment and cleaning up

Clean-up personnel should use respiratory and/or liquid contact protection. Wash thoroughly after dealing with a spillage. Absorb spillage with non-combustible, absorbent material. Remove small spills with vacuum cleaner. Collect spillage in containers, seal securely and deliver for disposal according to local regulations. Inform Authorities if large amounts are involved.

6.4. Reference to other sections

For personal protection, see section 8.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Read and follow manufacturer's recommendations. Keep away from heat, sparks and open flame. Eye wash facilities and emergency shower must be available when handling this product. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. Do not eat, drink or smoke when using the product. Follow instructions and ensure correct dilution of this product before use.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep away from heat, sparks and open flame. Keep away from food, drink and animal feeding stuffs. Protect from freezing and direct sunlight. Protect against physical damage and/or friction. Store in tightly closed original container in a dry, cool and well-ventilated place. Store in closed original container at temperatures between 0°C and 30°C.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA	- 8 Hrs	STEL	- 15 Min	Notes
ISO-BUTANOL	WEL	50 ppm	154 mg/m3	75 ppm	231 mg/m3	

WEL = Workplace Exposure Limit.

Ingredient Comments WEL = Workplace Exposure Limits

8.2. Exposure controls

Protective Equipment



Process Conditions

Provide eyewash, quick drench.

Engineering Measures

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

Barclay Holster XL

Respiratory Equipment

If ventilation is insufficient, suitable respiratory protection must be provided.

Hand Protection

Wear protective gloves.

Eye Protection

Wear goggles/face shield.

Other Protection

Provide eyewash station and safety shower. Wear suitable protective clothing as protection against splashing or contamination.

Hygiene Measures

Wash contaminated clothing before reuse. Wash hands after handling. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke. Skin Protection

Protection suit must be worn.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid
Colour	Amber
Odour	aromatic hydrocarbons
Relative Density	1.076
Flash Point (°C)	62 oC
Comments	Information given concerns the concentrated solution.

9.2. Other information

Not relevant.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Avoid heat, flames and other sources of ignition. Avoid frost. Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials To Avoid

Keep in original container.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Toxic Dose 1 - LD 50

1834 mg/kg (oral rat) Harmful if swallowed.

Ingestion. Harmful if swallowed. Skin Contact Irritating to skin. Not a skin sensitiser. Eye Contact Irritating to eyes.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity:

Barclay Holster XL

The product contains substances which are toxic to aquatic organisms and which may cause long term adverse effects in the aquatic environment.

12.1. Toxicity

Acute Fish Toxicity

No information available.

12.2. Persistence and degradability

Degradability:

The product is not readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative Potential: No data available on bioaccumulation.

12.4. Mobility in soil

Mobility:

Emulsifiable in water

12.5. Results of PBT and vPvB assessment

Not available.

12.6. Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS

General Information

Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Do not allow runoff to sewer, waterway or ground.

SECTION 14: TRANSPORT INFORMATION

General	No other information noted.
Road Transport Notes	Avoid releasing to the environment.
Rail Transport Notes	Avoid releasing to the environment.
Sea Transport Notes	Do not release into the environment.

14.1. UN number

Not known.

14.2 UN Proper shipping name

Not known.

14.3 Transport hazard class(es)

Not known.

14.4. Packing group

Not known.

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant Not known.

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Barclay Holster XL

EU Legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

Revision Date	14.06.2011
Risk Phrases In Full	
R10	Flammable.
R22	Harmful if swallowed.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65	Harmful: may cause lung damage if swallowed.
R36	Irritating to eyes.
R37/38	Irritating to respiratory system and skin.
R38	Irritating to skin.
R43	May cause sensitisation by skin contact.
R66	Repeated exposure may cause skin dryness or cracking.
R41	Risk of serious damage to eyes.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R67	Vapours may cause drowsiness and dizziness.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Hazard Statements In Full	
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H412	Harmful to aquatic life with long lasting effects.
H317	May cause an allergic skin reaction.
H336	May cause drowsiness or dizziness.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.
H410	Very toxic to aquatic life with long lasting effects.
H400	Very toxic to aquatic life.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.