VITAX SAFETY INFORMATION SHEET IDENTIFICATION OF PREPARATION VITAX LONG LAST 24-5-12 Packaging: 25kg coextruded LDPE sacks

	Packaging: 25kg coextruded LDPE sacks	
AND COMPANY	Vitax Ltd, Owen Street, Coalville LE67 3DE Tel: 01530 510060	
COMPOSITION	Compound fertiliser 24:4:12, with Dicyandiamide and NBPT.INGREDIENT% w/wCAS NoCLASSIFICATIONN-(n-Butyl)-thiophosphoric triamide0.194317-64-3Urea>6557-13-6Dicyandiamide<5461-58-5	
HAZARDS IDENTIFICATION	Not classified as dangerous.	
FIRST AID MEASURES	 Accidental over-exposure may result in the following symptoms:- Eye Contact - dust may be irritating to the eyes at high concentrations. Skin Contact - dust may be irritating to the skin at high concentrations. Ingestion - may cause nausea, vomiting and electrolyte depletion. Inhalation - high dust concentrations may cause irritation resulting in coughing or scratchiness. Other possible effects include headache, nausea, vomiting, disorientation. Additional medical guidance may be available to doctors from the National Poisons Information Service. Eye Contact - in cases of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician if irritation continues. Skin Contact - if irritation occurs wash thoroughly with soap and water immediately. Get medical attention if irritation persists. Ingestion - if swallowed rinse out mouth with water and seek medical advice immediately. Do not induce vomiting or give anything by mouth to an unconscious person. 	
	Inhalation - if inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.	
FIRE FIGHTING MEASURES	Not flammable. Thermal decomposition will produce oxides of carbon, nitrogen and sulphur. Evacuate personnel to a safe area. Keep personnel removed and upwind of fire. Wear self-contained breathing apparatus and full protective equipment. Extinguish with carbon dioxide or dry chemical for small fires; alcohol foam for large fires. Contain contaminated run-off.	
ACCIDENTAL RELEASE MEASURES	Spilled materials, wet or dry can cause slippery conditions. Sweep or shovel materials into containers for recovery. Scrub contaminated area with detergent and water. Prevent clean-up liquid from entering sewers, waterways or low areas. Soak up with sand or other absorbent material.	
HANDLING AND STORAGE	Long term storage at temperatures above 100°F (36°C) can result in significant decomposition of the N-(n-butyl) thiophosphoric triamide. Do not store or consume food, drink or tobacco in areas where they may become contaminated with this material. Wear protective clothing and equipment such as safety glasses, rubber gloves. Clean protective clothing, as needed. See next Section.	
EXPOSURE CONTROLS/ PERSONAL PROTECTION	Use only with adequate ventilation. Keep container tightly closed. Do not consume food, drink or tobacco in the areas where they may become contaminated with this material. Exposure limits should not exceed 10 mg/m ³ (nuisance dust).	

	PERSONAL PROTECTION RESPIRATORY: use with adequate ventilation. Respiratory protection not required under normal use. PROTECTIVE GLOVES: use rubber gloves if skin irritation is observed. EYE PROTECTION: wear safety glasses or goggles, when appropriate, to prevent contact with eyes. OTHER: washing facilities should be available. Use long sleeves or other clothing to avoid excessive contact.		
PHYSICAL & CHEMICAL PROPERTIES	Appearance Odour pH Boiling point Melting point Flash point Flammability Autoflammability Explosivity Oxidizing properties Vapour pressure Specific Gravity Relative density Solubility Other data	blend of white and blue-green granules slightly sulphurous 7.2 (10%) decomposes at 275°F approximately at 275°F none none none none none none not available 1.32 not applicable soluble none	
STABILITY & REACTIVITY	 STABILITY: stable at normal temperatures. HAZARDOUS POLYMERISATION: will not occur. INCOMPATIBILITY: incompatible with acids, strong oxidizing agents; reducing agents. HAZARDOUS THERMAL DECOMPOSITION PRODUCTS: thermal decomposition will product oxides of carbon, nitrogen and sulphur. 		
TOXICOLOGICAL INFORMATION	CHRONIC: None known CARCINOGENICITY: none of the components in this material are listed by IARC, NTP, OSHA or ACGIH as a carcinogen. The toxicological effects of this product have not been tested. The following data is for Urea: ACUTE INHALATION: no data available ACUTE SKIN: no data available ACUTE ORAL: > 2000 mg/kg (by calculation) NOTE: Toxicity has been observed in cattle not previously exposed to urea. IRRITATION: EYES: minimal irritation (mechanical) SKIN: minimal irritation SUBCHRONIC EFFECTS: no data CHRONIC EFFECTS: no data SENSITISATION: no data		
ECOLOGICAL INFORMATION	This product has not been tested. However, both urea and NBPT have a very low toxicity to aquatic organisms.		
DISPOSAL CONSIDERATIONS	Treatment, storage, transportation and disposal must be in accordance with applicable federal, state/provincial and local regulations. Do not flush to surface water or sanitary sewer system.		
TRANSPORT INFORMATION	Not classified as dangerous for carriage.		
OTHER INFORMATION	The product label provides information on the use of the product: do not use otherwise, unless you have assessed any potential hazard involved and the safety measures.		
	Prepared by VITAX LTD available at the time of pr	, for Health and Safety purposes from the best knowledge inting.	

December 2000